




An Australian Government Initiative

# Groundwater Education Investment Fund Project

## Borehole Infrastructure Report

Borehole Type		Piezometer Monitoring Bore	Location	Willunga Super Science Site
Unique Well ID		WSS-CHR-1	Installed By	Geodrill
Completion Date		23/11/2010	Depth Installed	8.5 mBGL
Drilled By		Geodrill	Depth Drilled	8.5 mBGL
Monument Type		Lockable standpipe	Drilled Diameter/Method	125 mm, Auger
Monument Diameter/Width		80 mm	Screen Depth	6.5-8.5 mBGL
T.O.M. offset from G.L. (Top of Open Monument)		0.845 m	Screen Size/Aperture/Type	50 mm/0.4 mm/PVC18
PVC Casing to T.O.M offset		-8.5 cm	Level of Bentonite	5.0-6.0 mBGL
Ground Elevation (mAHD)		42.587	Casing Size/Type	50 mm/PVC18
GPS Easting	(MGA-94 Zone 54)	275598	SWL after Development	3.28 mTOC
GPS Northing		6100941	Development Details	Air lifted 1 hour

**Project Comments:** WSS-CHR-1 is a single piezometer monitoring bore, located on the northern side of Chalk Hill Road, near a gauging station and adjacent to Pedler Creek.



Map of Willunga Super Science Project Shallow Monitoring Well Sites

Note\* Appendix includes location photos, Lithology and Well Completion Logs, Geophysical Logs, Hydraulic Test and Chemical Analysis.

Infrastructure Report prepared by:	Contact Details:	Checked by: Prof Peter Cook
	<a href="mailto:stephanie.villeneuve@flinders.edu.au">stephanie.villeneuve@flinders.edu.au</a> Office: 08 8201 2724	



Willunga Super Science Project  
Phase 1 - Shallow Monitoring Well Sites  
Chalk Hill Road



Location and Well Installation of WSS-CHR-1

# Lithology and Well Completion Log


WSS-CHR-1



# Geophysical Logs


The portable Mount Sopris logging system was used to collect geophysical data from bore WSS-CHR-1, the deepest peizometer. The 2PGS probe was used to collect natural gamma measurements, and the 2PIA probe was used to measure conductivity/induced resistivity.

WSS-CHR-1



## Slug Test

A slug test was performed on WSS-CHR-1 by placing a level logger at a depth of 8.8 mTOC and using a pump (8 mTOC) to remove the standing water column above the pump. The results of the test are presented below. The report author may be contacted for the full data set.



## Chemical Analysis

The results of major ion chemistry on WSS-CHR-1 are presented below, along with chemical parameters measured in the field.

Well ID	Date Sampled	SWL	Field Parameters				Laboratory Analyses @ CSIRO ASU											
			pH	EC	Temp	Alkalinity	E.C.	Total Alkalinity	F <sup>-</sup>	Cl <sup>-</sup>	Br <sup>-</sup>	NO <sub>3</sub> <sup>-</sup>	SO <sub>4</sub> <sup>=</sup>	Ca	K			
		mTOC		μS/cm	°C	meq/L	μS/cm	meq/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		
WSS-CHR-1	13/12/2011	3.24	7.04	2910	19	9.3	3000	7.0	0.7	740	2.7	8.4	250	121	8.9			
							Mg	Na	S	Al	As	B	Cd	Co	Cr			
							mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
							59.2	427	67.4	0.06	<0.05	0.34	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
							Cu	Fe	Mn	Mo	Ni	P	Pb	Sb	Se			
							mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
							<0.05	<0.1	0.13	<0.05	<0.05	<0.1	<0.05	<0.1	<0.05	<0.1	<0.05	<0.05
							Si	Sr	Zn									
							mg/L	mg/L	mg/L									
17.6	1.82	<0.05																